

Colin Murphy

From: Vincent O'Malley
Sent: Monday 24 November 2025 17:33
To: Colin Murphy
Cc: Christian Nea
Subject: Re: LBTMC 4 - NRM 12 - AA Screening

Follow Up Flag: Follow up
Flag Status: Flagged

Colin,
Having reviewed the content of your email and the attachment, I accept the reasoned determination set out below.
Sincerely
Vincent

Dr Vincent O'Malley

*Head of Environmental Policy & Compliance,
Transport Infrastructure Ireland*

www.tii.ie

From: Colin Murphy <Colin.Murphy@tii.ie>
Sent: Thursday, November 20, 2025 14:09
To: Vincent O'Malley <Vincent.O'Malley@tii.ie>
Cc: Christian Nea <Christian.Nea@tii.ie>
Subject: FW: LBTMC 4 - NRM 12 - AA Screening

Hi Vincent,

We have received an AA screening report from Roughan & O'Donovan for proposed non-routine maintenance at Mattock Bridge (MH-N51-008.00) situated east of Slane, Co.Meath. I would be grateful if you could review the information below and provide a reasoned determination.

As noted in the document attached, a recent vehicle strike has resulted in damage to the eastern parapet. The Mattock bridge is a three span masonry arch bridge spanning the Mattock River, east of Slane, Co. Meath. The bridge is c. 24.8m in length. The proposed works will involve recovering damaged sections of parapet which have become dislodged and are located on the land adjacent to the bridge. The masonry parapet section will be rebuilt by hand using stone and mortar. A new semi-circular coping


section to match the existing coping section will be installed. The works will be carried out entirely over land with no access to the river required. The works will be undertaken during day-light hours and is expected to take 2-3 days to complete.

The River Boyne and River Blackwater SAC is located 2.3km east and 4.1km downstream of the proposed works. The River Boyne and River Blackwater SPA is located 2.4km east and 4.3km downstream of the proposed works. No other Natura 2000 Sites are located within 15km of Mattock Bridge. As detailed in the report attached, Roughan & O'Donovan have determined that the proposed works will not lead to likely significant effects on any European Site considering the nature and scale of the proposed works, the lack of instream or over water works and the distance to the nearest European site.

Based on the description of the proposed works and associated methodologies provided by Roughan & O'Donovan, along with the small nature and scale and location of the proposed works, I agree with the conclusion that the proposed works will not lead to likely significant effects on any European Site. .

Having performed screening for Appropriate Assessment in respect of the proposed emergency repair works detailed in the Appropriate Assessment Screening received in an email from Moreno Stellini dated the 10th of November 2025, and entitled 'BTMC 4 - NRM 12 - AA Screening', I accept the recommendation of Roughan & O'Donovan that the proposed works, individually or in combination with other plans or projects, would not be likely to have a significant effect on any European site in view of the best scientific knowledge and the site's conservation objectives. I determine that an Appropriate Assessment of these proposed works is not required, as it can be excluded on the basis of objective scientific information following the screening done that the proposed works, individually or in combination with other plans or projects, will have a significant effect on any European site.

Regards,
Colin Murphy
Ecologist
Transport Infrastructure Ireland
Phone: +353 86 820 8847
Address: Parkgate Business Centre, Parkgate Place, Parkgate Street, Dublin 8, Ireland, D08 DK10



In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasaí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílim ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at

<https://www.tii.ie/about/about-tii/Data-Protection/>

Próiseálann BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/about/about-tii/Data-Protection/?set-lang=ga>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad dírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scrios an ríomhphost bunaidh agus aon cheangaltáin.

From: Moreno Stellini <Moreno.Stellini@rod.ie>

Sent: Monday 10 November 2025 13:33

To: Christian Nea <Christian.Nea@tii.ie>; Colin Murphy <Colin.Murphy@tii.ie>

Cc: Vincent O'Malley <Vincent.O'Malley@tii.ie>; Aidan Farrell <afarrell@kildarenrdo.com>; Patrick O'Shea <patrick.oshea@rod.ie>; Jane Stafford <Jane.Stafford@rod.ie>; Michael Costelloe <mcostelloe@kildarenrdo.com>; Conor McGroarty <CMcGroarty@kildarenrdo.com>; Peter King <Peter.King@rod.ie>; 'emurphy@mengco.ie' <emurphy@mengco.ie>

Subject: LBTMC 4 - NRM 12 - AA Screening

.....

CAUTION: This email originated from outside of TII. Do not click links or open attachments unless you recognise the sender and are sure that the content is safe.

.....

Hi Christian / Colin,

Hope you're well.

Please find attached AA Screening for Non Routine Maintenance No.12 – Mattock Bridge.

Let me know if you have any comments.

Thank you

Best regards

Moreno Stellini

Roughan & O'Donovan | consulting engineers

The Chase, Arkle Road, Sandyford, Dublin 18, D18 Y3X2

t +353 (0)1 294 0800 | **f** +353 (0)1 294 0820

www.rod.ie



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the intended recipient you are hereby notified that any dissemination, copying or distribution of this message and/or attachments is strictly prohibited. If you have received this message in error please notify the sender by replying to the message and delete it from your system. Any opinions expressed are that of the individual and not necessarily that of Roughan & O'Donovan. Although this message and any attachments have been scanned for viruses Roughan & O'Donovan gives no warranty.

Roughan & O'Donovan Limited is registered in Ireland at Arena House, Arena Road, Sandyford, Dublin 18, D18 V8P6. Registration Number 223146

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasaí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílím ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at <https://www.tii.ie/en/compliance/data-protection-notice/>

Próiseálaíonn BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/ga/compliance/data-protection-notice/>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair ná ag an eintiteas a bhfuil siad thírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scrios an ríomhphost bunaidh agus aon cheangaltáin.

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasaí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílím ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at <https://www.tii.ie/en/compliance/data-protection-notice/>

Próiseálaíonn BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/ga/compliance/data-protection-notice/>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad thírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scrios an ríomhphost bunaidh agus aon cheangaltáin.