

From: Vincent O'Malley <[REDACTED]>
Sent: Monday 15 August 2022 17:08
To: Nea Christian <[REDACTED]>
Cc: Watt Robbie <[REDACTED]>
Subject: RE: Re. CC-N22-011.00 Bealhaglashin ESB Bridge {Screening for AA}

Christian,
I accept the reasoned determination as set out below.
Sincerely
Vincent

From: Nea Christian <[REDACTED]>
Sent: Monday 15 August 2022 09:57
To: Vincent O'Malley <[REDACTED]>
Cc: Watt Robbie <[REDACTED]>
Subject: FW: Re. CC-N22-011.00 Bealhaglashin ESB Bridge {Screening for AA}

Vincent,
Having reviewed the information contained within this email chain (including attachments) and having regard, *inter alia*, to the minor nature and extent of the works, I recommend that the following reasoned determination can be made:

"Having performed screening for Appropriate Assessment in respect of the proposed maintenance works detailed in the email received from Paul O'Donoghue dated the 8th of August 2022, and entitled 'Re. CC-N22-011.00 Bealhaglashin ESB Bridge {Screening for AA}', I accept the recommendations of Atkins that the proposed maintenance works, individually or in combination with other plans or projects, would not be likely to have a significant effect on any European site in view of the best scientific knowledge and the site's conservation objectives. I determine that an Appropriate Assessment of these proposed works is not required, as it can be excluded on the basis of objective scientific information following the screening done that the proposed works, individually or in combination with other plans or projects, will have a significant effect on any European site."

Kind regards,
Christian.

From: Watt Robbie <[REDACTED]>
Sent: Thursday 11 August 2022 11:25
To: Christian Nea <[REDACTED]>
Subject: FW: Re. CC-N22-011.00 Bealhaglashin ESB Bridge {Screening for AA}

Christian,

See attached email for updated screening assessment spreadsheet.

Following review of the proposed works and receiving environment I agree with the conclusion of Atkins that the works would not be likely to have a significant effect on any European site.

Regards,
Robbie

From: O'Donoghue, Paul [REDACTED]
Sent: Monday 8 August 2022 13:26
To: Christian Nea [REDACTED]; Watt Robbie [REDACTED]
Cc: Daly, Vincent [REDACTED]; Martin Jennings [REDACTED]
Subject: Re. CC-N22-011.00 Bealhaglashin ESB Bridge {Screening for AA}

CAUTION: This email originated from outside of TII. Do not click links or open attachments unless you recognise the sender and are sure that the content is safe.

Christian / Robbie

Re. CC-N22-011.00 Bealhaglashin ESB Bridge

I've been asked to Screen proposed work at CC-N22-011.00 Bealhaglashin ESB Bridge near Macroom, Co. Cork. This structure is on the approach to the new Macroom bypass. I have attached a site location map and aerial image of the location. Bridges have asked that it be done using the Spreadsheet approach as used in the Year 4 screenings.

My understanding is that this structure was removed from the Year 4 list as it is managed by ESB, but with the opening of the Macroom Bypass not too far away TII want any maintenance works to this structure to be covered.

The original Works Orders report is also attached. Give me a call if you have any questions.

Regards

Paul

Paul O' Donoghue *BSc PhD CEnV MCIEEM*
Associate Director, Ecology
Ireland

[REDACTED]

At Atkins - member of the SNC-Lavalin Group, we work flexible hours around the world. Although I have sent this email at a time convenient for me, I don't expect you to respond until it works for you.

NOTICE – This email message and any attachments may contain information or material that is confidential, privileged, and/or subject to copyright or other rights. Any unauthorized viewing, disclosure, retransmission, dissemination, or other use of or reliance on this message or anything contained therein is strictly prohibited and may be unlawful. If you believe you may have received this message in error, kindly inform the sender by return email and delete this message from your system. Thank you.

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasáí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílim ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at <https://www.tii.ie/about/about-tii/Data-Protection/>

Próiseálann BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/about/about-tii/Data-Protection/?set-lang=ga>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad dírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scríos an ríomhphost bunaidh agus aon cheangaltáin.

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasáí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílim ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at <https://www.tii.ie/about/about-tii/Data-Protection/>

Próiseálann BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/about/about-tii/Data-Protection/?set-lang=ga>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad dírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scríos an ríomhphost bunaidh agus aon cheangaltáin.

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasáí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílim ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at

<https://www.tii.ie/about/about-tii/Data-Protection/>

Próiseálann BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/about/about-tii/Data-Protection/?set-lang=ga>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad dírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scríos an ríomhphost bunaidh agus aon cheangaltáin.

In accordance with TII's Right to Disconnect policy, if you are receiving this email outside of normal working hours, I do not expect a response or action outside of your own working hours unless it is clearly noted as requiring urgent attention.

De réir pholasáí BIÉ An Ceart gan a bheith Ceangailte, má tá an ríomhphost seo á fháil agat lasmuigh de na gnáthuaireanta oibre, nílim ag súil le freagra ná le gníomh uait lasmuigh de do ghnáthuaireanta oibre féin mura bhfuil sé ráite go soiléir go bhfuil gá gníomhú go práinneach.

TII processes personal data provided to it in accordance with its Data Protection Notice available at <https://www.tii.ie/about/about-tii/Data-Protection/>

Próiseálann BIÉ sonraí pearsanta a sholáthraítear dó i gcomhréir lena Fhógra ar Chosaint Sonraí atá ar fáil ag <https://www.tii.ie/about/about-tii/Data-Protection/?set-lang=ga>

TII E-mail system: This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error then please notify postmaster@tii.ie and delete the original including attachments.

Córas r-phoist BIE: Tá an ríomhphost seo agus aon chomhaid a tharchuirtear leis faoi rún agus beartaithe lena n-úsáid ag an duine aonair nó ag an eintiteas a bhfuil siad dírithe chuige/chuici amháin. Más rud é go bhfuair tú an ríomhphost seo trí bhotún, cuir sin in iúil do postmaster@tii.ie, le do thoil, agus scríos an ríomhphost bunaidh agus aon cheangaltáin.



MACROOM Maigh Chromtha

Scale: 1:25000 - Resolution: 100m
533231, 569768

Macroom, Cork, IRL

davcar

4 CC - Cork

All Passages

Inspection List

Struct. Bealhaglashin bridge Tech. Unit 4 CC - Cork Road Ballycarthy, County Kerry - Cork			
Component	Work	Quantity Total	Date Inspected
Location	Product	Expected Carried Out	Carried Out
1 Bridge surface Sweeping and cleaning to road surface over the bridge. 0.5m wide strip at each side of the bridge.	21 Sweeping and cleaning	622 m2 87 m2 _____ m2	08 July 2022
1 Bridge surface Cleaning of drain gullies to east side of the bridge.	30 Cleaning of drain gullies	2 no 2 no _____ no	08 July 2022
2 Expansion joints Cleaning of expansion joints to bridge surface.	10 Cleaning of expansion joints	58 m 58 m _____ m	08 July 2022
2 Expansion joints Joints to be resealed with hot poured bitumen on both side of each joint - 8 joints measuring 7.15m each.	99 Miscellaneous works	1 it 1 it _____ it	08 July 2022
3 Footways/median Sweeping and cleaning of eastern footpath and western raised verge to remove all debris, silt and vegetation.	22 Maintenance of surface	172 m2 172 m2 _____ m2	08 July 2022
14 Structure in general Structure ID plate to be provided in accordance with TII standards.	81 Maintenance of structure ID	1 no 1 no _____ no	08 July 2022

Atkins Screening Rationale:

Bridge is not located within a Natura 2000 site. While hydrologically connected, the nearest downstream Natura site is >40km downstream in Cork Harbour. The Gearagh SPA (004109) is located ca. 3.5km upstream of the bridge. This is designated for a number of wintering waterbirds (wigeon, teal, coot, mallard) as well as the wetlands they utilise. No instream works are proposed. Works are limited to the bridge surface, cleaning of gullies and works to expansion joints. No emissions to the water course are permitted. Works are sufficiently remote from the Gearagh SPA that birds using the SPA will not be disturbed by proposed works. The bridge is on a fast river channel less suited to use by these species; compared to the Gearagh or neighbouring Sullane delta. No impact on birds is predicted. The Gearagh SAC is 2.1km upstream of the bridge. While Otter (*Lutra lutra*) is a qualifying interest of the SAC, works to the bridge are of short duration, and are restricted to the bridge deck which is at a considerable height above the river at this location. No impact to otter using the river is anticipated.